Note: This is an example of an initial checklist, which DCYF uses to inspect and license a school-age child care program. This example checklist does not include any changes made to the form after July 16, 2018.

Washington State Department of

/ 0 - 0 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	D						
CHILDREN, YOU	TH & FAMILIES		INSPI	ECTION TYPE			
School Age C	hecklist		VISIT	DATE			
	I. PRO	VIDER INFO	RMATION				
PROVIDER NAME			PROVIDI	ER ID	ISSU	E DATE	
DOING BUSINESS AS			ANNIVE	RSARY DATE	EXPI	RATION DATE	
FACILITY TYPE	TELEPHONE N	UMBER	EMAIL A	DDRESS			
FACILITY ADDRESS		CITY			STATE	ZIP CODE	
PRIMARY CONTACT PERSON				CAPACITY	ı	ICENSING TYPE	
LICENSE STATUS	REFERRAL STATU	S		AGE RANGE			
				From:	T	o:	
	II. WO	ORKER ASSI	GNMENT				
LICENSOR	EMAIL ADDRE	SS		TELEPHONE	NUMBE	R	
LICENSING SUPERVISOR	EMAIL ADDRE	SS		TELEPHONE	NUMBE	R	
	III. HC	OURS OF OP	ERATION				
DAYS OF OPERATION		нс	OURS OF OF	PERATION			
☐ Mon ☐ Tue ☐ Wed ☐ Thu ☐	Fri Sat	Sun	a.m.	through	p.m.		

1. Special	Needs				
Codes: C	Codes: C = Compliance D = Discussed N = Non Compliance NA = Not Applicable				
Section	Requirement		Code		
0050	Special needs accommodations	Special needs accommodations requirements are complete			
		Submit a written plan, signed by the parent/guardian that describes how the child's needs will be met			
		Written plan and documentation must be kept in the child's file and a copy sent to the department			
		Documentation of staff training for each written plan			
		Written plan(s) updated annually			

2. Licensi	2. Licensing Process				
Codes: C	= Compliance D = Discussed N = Non Cor	mpliance NA = Not Applicable			
Section	Requirement		Code		
1035	Fire inspection/certification	Complies with state and local fire code – if applicable			
1250	License application packetContents	The license application packet is complete			
1350	Liability insurance coverage	Insurance coverage requirements are met			

1

2. Licensi	2. Licensing Process			
Codes: C	= Compliance D = Discussed N = Non Cor	mpliance NA = Not Applicable		
Section	Requirement		Code	
1360	Lead and arsenic hazardsTacoma	Lead or arsenic evaluation agreement – if applicable		
	smelter plume			
1370	Private well and water system	Water testing and appropriate action taken when water source		
		interrupted or contaminated – if applicable		

3. Record	3. Recordkeeping, Reporting and Posting			
Codes: C	= Compliance D = Discussed N = Non Cor	mpliance NA = Not Applicable		
Section	Requirement		Code	
2175	Materials that must be posted	All required items are posted		
2375	Parent/guardian policies (handbook)	The parent/guardian handbook is complete		
2400	Program/operations policies	Program/operations policies are complete		
2425	Staff policies	Staff policies requirements are met		
2450	Off-site activity policy	Off-site activity policy is complete		

4. Fire an	4. Fire and Emergency Preparedness				
Codes: C	Codes: C = Compliance D = Discussed N = Non Compliance NA = Not Applicable				
Section	Requirement		Code		
2575	Combustible and flammable materials	Combustible material removed from building or stored in closed metal container			
2600	Furnaces, other heating devices, and appliances with hot surfaces	Inaccessible to the children – if applicable Paper, rubbish, or combustible material kept at least 3 feet away from furnace or other heating devices – if applicable			
2625	Electrical motors	Free of accumulated dust or lint – if applicable			
2675	Open flame devices, candles, matches and lighters	Inaccessible to the children and not used during operating hours			
2700	Emergency flashlight	Working flashlight available - extra batteries if applicable			
2725	Portable heaters and generators	Not in use inside the licensed space during operating hours			
2775	Telephone	Working telephone with backup power source			
2850	Disaster plan	Written plan and all requirements are followed			
2875	Fire, disaster training for staff and volunteers	Training is provided and documentation is on file			
2975	Additional method to sound an alarm	Proof of additional method to sound an alarm			
3000	Fire extinguishers	Fire extinguisher requirements are followed – if applicable			

5. Health	5. Health			
Codes: C	= Compliance D = Discussed N = Non Co	ompliance NA = Not Applicable		
Section	Requirement		Code	
3200	Health plan	Health plan is complete		
3325	Medication storage	All medications are stored correctly		
3375	Medication permission	Medication permissions and required documentation are on file		
3625	Handwashing procedure	Staff follow and teach children proper handwashing procedures		
3635	When handwashing is required	Staff and children wash their hands as required		
3650	Hand sanitizers	Hand sanitizer requirements are followed		
3700	Carpets	Cleaned twice each calendar year – if applicable		
3850	Cleaning laundry	Laundry cleaned as required		
3875	Cleaning and sanitizing toys	Toys cleaned after contact with bodily fluids, at least weekly or when visibly soiled		

3925	Cleaning, sanitizing and disinfecting table	Equipment and environment cleaned; sanitized or disinfected as required	
3950	Pest control	Pest control procedure used as needed – if applicable	
4000	Lead, asbestos, arsenic and other hazards	Action taken to prevent child exposure to lead, asbestos, arsenic or other hazards – if applicable	
4025	Drugs and alcohol	Illegal drugs, alcohol or drugs that would impair ability to care for children are prohibited	
		Follow the school district drug free zone policy – if applicable	
4050	No smoking	No smoking requirements are followed	
4075	First-aid kit	First aid kit in licensed space, on off-site trips and in vehicle when transporting children	
		First aid kits are complete	
4100	Poisons, chemicals and other	Stored inaccessible to the children	
	substances	Material safety data sheet is kept on site	

Section Requirement Equipment, toys or other items in good and safe working condition Recalled items Sequipment, and recalled items Equipment, toys or other items in good and safe working condition Recalled items have been removed 35 square feet per child, only the space intended for use by children in care is used Indoor Itemsease space Indoor temperature The indoor temperature must be no less than 65 degrees and no higher than 75 degrees or 82 degrees during the summer – if applicable Fans and air conditioners inaccessible or have a protective barrier – if applicable Fans and air conditioners inaccessible or have a protective barrier – if applicable Fans and air conditioners inaccessible or have a protective barrier – if applicable Fans and air conditioners inaccessible or have a protective barrier – if applicable Fans and air conditioners inaccessible or have a protective barrier – if applicable Fans and air conditioners inaccessible or have a protective barrier – if applicable Fans and air conditioners inaccessible or have a protective barrier – if applicable Fans and air conditioners inaccessible or have a protective barrier – if applicable Fans and air conditioners inaccessible or have a protective barrier – if applicable Fans and air conditioners inaccessible or have a protective parrier – if applicable Fans and air conditioners inaccessible or have a protective parrier – if applicable Fans and air conditioners inaccessible or have a protective parrier – if applicable Fans and air conditioners inaccessible or have a protective parrier – if applicable Fans and air conditioners inaccessible to the children Fans and air	6. Indoor	Environment		
Toys, equipment, and recalled items Equipment, toys or other items in good and safe working condition	Codes: C	= Compliance D = Discussed N = Non Co	mpliance NA = Not Applicable	
Recalled items have been removed	Section	Requirement		Code
1	4200	Toys, equipment, and recalled items		
Indoor temperature Indoor temperature must be no less than 65 degrees and no higher than 75 degrees or 82 degrees during the summer – if applicable				
Indoor temperature	4225	Indoor licensed spaceMinimum		
higher than 75 degrees or 82 degrees during the summer – if applicable Fans, air conditioning or cross ventilation Window coverings Window covering requirements are followed – if applicable Electrical outlets, cords and power strips Electrical cords are not torn or frayed, are in good working order and plugged directly into an outlet or into a surge protector plugged into an outlet Electrical cords do not pose tripping hazard Power strips with surge protectors are inaccessible to the children Extension cords used only for a brief or temporary purpose and plugged into an outlet or into a surge protected power strip Must have adequate illumination – if applicable Lighting safety Ceiling-mounted light fixtures have shatter-resistant covers or shatter-resistant light bulbs – if applicable No bare light bulbs in play space, or outdoor lights used indoors and halogen lamps are inaccessible to the children – if applicable Emergency exit pathways Emergency exit pathways requirements must be followed Protective guard must not block outdoor light – if applicable Toileting facility requirements must be followed – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable		space		
4275 Fans, air conditioning or cross ventilation 4300 Window coverings 4300 Window coverings Electrical outlets, cords and power strips Electrical outlets, cords and power and plugged directly into an outlet or into a surge protector plugged into an outlet Electrical cords do not pose tripping hazard Power strips with surge protectors are inaccessible to the children Extension cords used only for a brief or temporary purpose and plugged into an outlet or into a surge protected power strip 4360 Area lighting Must have adequate illumination – if applicable Ceiling-mounted light fixtures have shatter-resistant covers or shatter-resistant light bulbs – if applicable No bare light bulbs in play space, or outdoor lights used indoors and halogen lamps are inaccessible to the children – if applicable 4475 Emergency exit pathways Emergency exit pathways requirements must be followed 4550 Windows Protective guard must not block outdoor light – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Handwashing sinks Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable	4250	Indoor temperature	_	
Fans, air conditioning or cross ventilation 4300 Window coverings Electrical outlets, cords and power strips Electrical outlets, cords and power strips Electrical cords are not torn or frayed, are in good working order and plugged directly into an outlet or into a surge protector plugged into an outlet or into a surge protector plugged into an outlet or into a surge protector plugged into an outlet or into a surge protected power strips 4360 Area lighting Must have adequate illumination – if applicable Lighting safety Emergency exit pathways Emergency exit pathways Emergency exit pathways Fans and air conditioners inaccessible or have a protective barrier – if applicable Fans and air conditioners inaccessible or have a protected power if applicable Electrical outlets requirements are followed – if applicable Electrical outlets requirements are followed. Electrical outlets requirements are followed – if applicable Area lighting outlets requirements are followed. Ceiling-mounted loght fixtures have shatter-resistant covers or shatter-resistant light bulbs – if applicable No bare light bulbs in play space, or outdoor lights used indoors and halogen lamps are inaccessible to the children – if applicable A diager changing area must not block outdoor light – if applicable Toileting facility Toileting facility requirements must be followed – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable				
Ventilation If applicable				
Window coverings	4275	_		
Electrical outlets, cords and power strips Electrical cords are not torn or frayed, are in good working order and plugged directly into an outlet or into a surge protector plugged into an outlet Electrical cords do not pose tripping hazard Power strips with surge protectors are inaccessible to the children Extension cords used only for a brief or temporary purpose and plugged into an outlet or into a surge protected power strip 4360 Area lighting Must have adequate illumination—if applicable Ceiling-mounted light fixtures have shatter-resistant covers or shatter-resistant light bulbs—if applicable No bare light bulbs—if applicable No bare light bulbs in play space, or outdoor lights used indoors and halogen lamps are inaccessible to the children—if applicable 4475 Emergency exit pathways Emergency exit pathways requirements must be followed 4550 Windows Protective guard must not block outdoor light—if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Located in or immediately outside rooms used for toileting and food prep area—if applicable Must have soap, warm water, paper towels or hand drying device—if applicable				
Electrical cords are not torn or frayed, are in good working order and plugged directly into an outlet or into a surge protector plugged into an outlet Electrical cords do not pose tripping hazard Power strips with surge protectors are inaccessible to the children Extension cords used only for a brief or temporary purpose and plugged into an outlet or into a surge protected power strip Must have adequate illumination – if applicable Ceiling-mounted light fixtures have shatter-resistant covers or shatter-resistant light bulbs – if applicable No bare light bulbs in play space, or outdoor lights used indoors and halogen lamps are inaccessible to the children – if applicable Emergency exit pathways Emergency exit pathways requirements must be followed Followed Toileting facility Toileting facility requirements must be followed – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable				
and plugged directly into an outlet or into a surge protector plugged into an outlet Electrical cords do not pose tripping hazard Power strips with surge protectors are inaccessible to the children Extension cords used only for a brief or temporary purpose and plugged into an outlet or into a surge protected power strip Must have adequate illumination – if applicable Ceiling-mounted light fixtures have shatter-resistant covers or shatter-resistant light bulbs – if applicable No bare light bulbs in play space, or outdoor lights used indoors and halogen lamps are inaccessible to the children – if applicable Windows Emergency exit pathways requirements must be followed Protective guard must not block outdoor light – if applicable Toileting facility Toileting facility requirements must be followed – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable	4350			
into an outlet Electrical cords do not pose tripping hazard Power strips with surge protectors are inaccessible to the children Extension cords used only for a brief or temporary purpose and plugged into an outlet or into a surge protected power strip Must have adequate illumination – if applicable Lighting safety Ceiling-mounted light fixtures have shatter-resistant covers or shatter-resistant light bulbs – if applicable No bare light bulbs in play space, or outdoor lights used indoors and halogen lamps are inaccessible to the children – if applicable Hards Emergency exit pathways Emergency exit pathways requirements must be followed Frotective guard must not block outdoor light – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable	i	strips	· · · · · · · · · · · · · · · · · · ·	
Electrical cords do not pose tripping hazard Power strips with surge protectors are inaccessible to the children Extension cords used only for a brief or temporary purpose and plugged into an outlet or into a surge protected power strip Must have adequate illumination – if applicable				
Power strips with surge protectors are inaccessible to the children Extension cords used only for a brief or temporary purpose and plugged into an outlet or into a surge protected power strip Must have adequate illumination – if applicable Lighting safety Ceiling-mounted light fixtures have shatter-resistant covers or shatter-resistant light bulbs – if applicable No bare light bulbs in play space, or outdoor lights used indoors and halogen lamps are inaccessible to the children – if applicable Emergency exit pathways Emergency exit pathways requirements must be followed Windows Protective guard must not block outdoor light – if applicable Toileting facility requirements must be followed – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary 4635 Handwashing sinks Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable				
Extension cords used only for a brief or temporary purpose and plugged into an outlet or into a surge protected power strip Must have adequate illumination – if applicable Ceiling-mounted light fixtures have shatter-resistant covers or shatter-resistant light bulbs – if applicable No bare light bulbs in play space, or outdoor lights used indoors and halogen lamps are inaccessible to the children – if applicable Emergency exit pathways Emergency exit pathways requirements must be followed Frotective guard must not block outdoor light – if applicable Toileting facility Toileting facility requirements must be followed – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable			· · · · · ·	-
plugged into an outlet or into a surge protected power strip Must have adequate illumination – if applicable Ceiling-mounted light fixtures have shatter-resistant covers or shatter-resistant light bulbs – if applicable No bare light bulbs in play space, or outdoor lights used indoors and halogen lamps are inaccessible to the children – if applicable Emergency exit pathways Emergency exit pathways requirements must be followed Protective guard must not block outdoor light – if applicable Toileting facility requirements must be followed – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable			Power strips with surge protectors are inaccessible to the children	-
4360 Area lighting Must have adequate illumination – if applicable Ceiling-mounted light fixtures have shatter-resistant covers or shatter-resistant light bulbs – if applicable No bare light bulbs in play space, or outdoor lights used indoors and halogen lamps are inaccessible to the children – if applicable Emergency exit pathways Emergency exit pathways requirements must be followed Protective guard must not block outdoor light – if applicable Toileting facility requirements must be followed – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Handwashing sinks Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable				
Lighting safety Ceiling-mounted light fixtures have shatter-resistant covers or shatter-resistant light bulbs – if applicable No bare light bulbs in play space, or outdoor lights used indoors and halogen lamps are inaccessible to the children – if applicable Emergency exit pathways Emergency exit pathways requirements must be followed Vindows Protective guard must not block outdoor light – if applicable Toileting facility requirements must be followed – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Handwashing sinks Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable				
shatter-resistant light bulbs – if applicable No bare light bulbs in play space, or outdoor lights used indoors and halogen lamps are inaccessible to the children – if applicable Emergency exit pathways Emergency exit pathways requirements must be followed Protective guard must not block outdoor light – if applicable Toileting facility Toileting facility requirements must be followed – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable	4360	Area lighting	· · · · · · · · · · · · · · · · · · ·	
No bare light bulbs in play space, or outdoor lights used indoors and halogen lamps are inaccessible to the children – if applicable Emergency exit pathways Emergency exit pathways requirements must be followed Protective guard must not block outdoor light – if applicable Toileting facility Toileting facility requirements must be followed – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Handwashing sinks Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable	4375	Lighting safety		
halogen lamps are inaccessible to the children – if applicable Emergency exit pathways Emergency exit pathways requirements must be followed Protective guard must not block outdoor light – if applicable Toileting facility Toileting facility requirements must be followed – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Handwashing sinks Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable			shatter-resistant light bulbs – if applicable	
4475Emergency exit pathwaysEmergency exit pathways requirements must be followed4550WindowsProtective guard must not block outdoor light – if applicable4625Toileting facilityToileting facility requirements must be followed – if applicableA diaper changing area must be provided to meet the diapering needs of the children when necessary4635Handwashing sinksLocated in or immediately outside rooms used for toileting and food prep area – if applicableMust have soap, warm water, paper towels or hand drying device – if applicable				
4625 Windows Protective guard must not block outdoor light – if applicable Toileting facility Toileting facility requirements must be followed – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Handwashing sinks Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable				
Toileting facility Toileting facility requirements must be followed – if applicable A diaper changing area must be provided to meet the diapering needs of the children when necessary Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable				ļ
A diaper changing area must be provided to meet the diapering needs of the children when necessary Handwashing sinks Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable			<u> </u>	
4635 Handwashing sinks Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable	4625	Toileting facility		
4635 Handwashing sinks Located in or immediately outside rooms used for toileting and food prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable			, , , , , , , , , , , , , , , , , , , ,	
prep area – if applicable Must have soap, warm water, paper towels or hand drying device – if applicable	4625	Handwaching cinks	•	-
Must have soap, warm water, paper towels or hand drying device – if applicable	4035	nanowasning sinks	_	
if applicable				

6. Indoor	6. Indoor Environment				
Codes: C	= Compliance D = Discussed N = Non Cor	mpliance NA = Not Applicable			
Section	Requirement		Code		
4650	Bathroom floors	Washable surface, resistant to moisture, cleaned & disinfected at least daily – if applicable			
4700	Water temperature	60 to 120 Degrees Fahrenheit – if applicable			
4725	Guns and other weapons	Guns and other weapons prohibited on the premises			
4750	Storage for each child's belongings	Separate storage for each child			

7. Pets a	7. Pets and Animals			
Codes: C	= Compliance D = Discussed N = Non Co	mpliance NA = Not Applicable		
Section	Requirement		Code	
4800	Pet and other animal policy	Inform children's parent/guardian and have a pet/animal policy if pet or other animals are on the premises		
4850	Pet or other animal health and safety	Must have current immunizations, show no signs of disease, and have veterinarian documentation that pet is nonaggressive Follow school district policy – if applicable		
4875	Pets or other animals interacting with children	Interacting with pets or other animals requirements are followed		
4900	Pet and other animal wastes	Animal waste and litter must be disposed of immediately		
		Must not be disposed of in sink used by children		

8. Outdoo	8. Outdoor Environment				
Codes: C	= Compliance D = Discussed N = Non Cor	mpliance NA = Not Applicable			
Section	Requirement		Code		
4925	Licensed outdoor space	Licensed outdoor space requirements are followed – if applicable			
4950	Playground equipmentGround coverFall zones	Play equipment and ground cover requirements are followed – if applicable			
5000	Play equipment	Play equipment is developmentally appropriate, in safe condition and inspected at least weekly for hazards; unsafe equipment is repaired immediately or made inaccessible until repaired – if applicable			
5050	Bouncing equipment prohibited	No trampolines, rebounders or inflatable equipment			
5100	Outdoor supervision	Program staff within sight or hearing of the children			
		Staff to child ratio maintained			
5125	Outdoor areas and daily physical activities	Area promotes a variety of age and developmentally appropriate active play for the children – if applicable At least 20 minutes for every 3 hours unless conditions pose a			
		health and safety risk to the children			

9. Bodies of Water							
Codes: C = Compliance D = Discussed N = Non Compliance NA = Not Applicable							
Section	Requirement Code						
5150	Water safety and activity Maintain staff to child ratio of 1:10; certified lifeguard on duty						
		Not allow use of hot tub, spa tank, or whirlpool					
5175	175 Wading poolsDefinedSupervision All wading pool and supervision requirements are followed when a wading pool is used by the children						
5200	All swimming pool barrier requirements are followed – if applicable						
	supervision Maintain the swimming pool according to manufacturer's specifications, including cleaning and sanitizing – if applicable						
	All swimming pool permission and supervision requirements are followed						
5225	Bodies of water or water hazards on	All bodies of water or water hazards on the licensed premises					
	the licensed premises	requirements are followed – if applicable					

9. Bodies of Water								
Codes: C	Codes: C = Compliance D = Discussed N = Non Compliance NA = Not Applicable							
Section	Requirement Code							
5250	Bodies of water outside and near Written safety plan for bodies of water outside or near licensed							
	licensed space space							
	Keep children from bodies of water that pose a drowning hazard							

10. Supervision, Capacity and Ratio								
Codes: C = Compliance D = Discussed N = Non Compliance NA = Not Applicable								
Section	Requirement							
5600	Staff-to-child ratio Maintain a 1:15 staff to child ratio							
5625	Capacity	All children on the premises or being transported counted in						
		capacity						
		All children within the age range on the license counts in ratio						
5725	Groups	Must have clearly defined licensed space for each group						
		Group size must not exceed 30 children						
		Qualified staff must supervise each group						
	Total number of children does not exceed capacity of the space							
5750	Supervising children	Provide required staffing levels, staff to child ratios, and supervision						
		for the number of children in attendance						
	Program staff must be aware of what children are doing, available							
		and able to promptly assist or redirect						
		Electronic communication or surveillance device must not replace						
	direct supervision							
	Program staff must be within sight or hearing of the children							

11. Nurtu	re and Guidance						
Codes: C	= Compliance D = Discussed N = Non Cor	mpliance NA = Not Applicable					
Section	Requirement						
6000	Interactions with children	Program staff must follow all requirements regarding interactions with children					
6025	Prohibited interactions	Program staff must follow all requirements regarding prohibited interactions					
6050	Guidance and discipline	Guidance and discipline must be consistent, fair and positive					
		Only the licensee or trained staff may discipline a child					
		Must have a written guidance and discipline policy					
6075	Positive options for discipline Positive guidance methods must be used						
6100	Separating a child from the group	A child separated only long enough to allow the child to regain					
		control; child must remain under direct supervision of program staff					
		person					
6125	Preventing harmful or aggressive acts Steps taken to protect children from harmful acts of others						
6150	Prohibited actions	Program staff must follow all requirements regarding prohibited actions					
6200	Physical restraintProhibited uses or methods	All requirements regarding prohibited uses or methods of physical or mechanical restraints are followed					
6225	Physical restraintHolding method allowed All requirements regarding the use of a holding method are followed						
6250	Notice and documenting use of	All requirements regarding notice and documentation of the use of					
	physical restraint	physical restraint are followed					
6275	Abuse and neglectProtection and	Program staff must report suspected or actual abuse or neglect and					
	training	must be trained on mandatory reporting requirements as defined in RCW 26.44.020; and RCW 26.44.030					

12. Progr	12. Program							
Codes: C	Codes: C = Compliance D = Discussed N = Non Compliance NA = Not Applicable							
Section	Requirement Cod							
6400	Off-site activitiesParent or guardian permission	Written permission for each child to engage in off-site activities						
6425	Off-site activity supervision	Must at all times provide supervision, and be able to promptly assist or redirect the children's activities						
6450	Off-site activityEmergency information and supplies requirements are followed							
6475	Transportation All requirements regarding transporting children are followed							
6575	Activities to promote child growth and development	Must provide daily activities that support each child's developmental stage						
6600	Equipment and play materials	Must provide equipment and play materials that are washable, clean, nonpoisonous and free of toxins						
6625								
6650	Screen time	Screen time must be educational, have child-appropriate content and be developmentally and age appropriate						
6675	Screen time—Limitations	Screen time – limitation requirements are followed						
6775	Diversity	All diversity requirements are followed						

13. Food Service and Nutrition							
Codes: C = Compliance D = Discussed N = Non Compliance NA = Not Applicable							
Section	Requirement						
7500	Food and milk must meet USDA Food and milk served according to current USDA - child and adult						
	guidelines care food program (CACFP) charts						
7515	Menus and dietary restrictions	Menus must be posted					
		Have written instructions and post child's dietary restrictions					
7525	Parent or guardian-provided food	Written food plan completed/signed by parent and program staff					
7530	Food sources	All food is from approved food sources					
7575	Drinking water	Safe drinking water is provided					
7580	Drinking fountains Drinking fountains must be cleaned and sanitized – if applicable						
7625	Meal and snack schedule All meals and snacks are served according to required schedule						
7650	Serving foods All serving food requirements are followed						
7680	Safe food handling	od handling Staff must follow the preparation, cooking and serving guidelines					
		the current edition of the WA state DOH food workers manual					
7700	Washing dishes	Automatic dishwasher, using the sanitizing cycle or hand wash					
		method by emersion in hot soapy water, rinse, sanitize and air dry					
7725							
		Disposable serving containers, dishes and utensils are sturdy and					
		used only once					
	Keep sharp utensils and utensils that may cause serious injury						
	inaccessible to children when not in use						
7750	Food preparation area	All food preparation area requirements are followed – if applicable					
7800	Food storage	Food is stored safely					
7825							
	Written policy on handling food from satellite kitchen						

14. Staff records													
		DEL Orientation	Program Orientation	Backgrou Check		TB Test	HIV/ AIDS	BBP training	CPR	First aid	Food worker's		ARS ining
											card	Basic	10 Hrs
Section		1125	5800	1200		1750	1850		1825	1825	7675	1775	1800
Staff Na	ame												
									Date Expired	Date Expired	Date Expired		
									Date Expired	Date Expired	Date Expired		
									Date Expired	Date Expired	Date Expired		
									Date Expired	Date Expired	Date Expired		
									Date Expired	Date Expired	Date Expired		
									Date Expired	Date Expired	Date Expired		
									Date Expired	Date Expired	Date Expired		
15. Staff	Qualifica	ations											
	-		Discussed N	l = Non Co	ompl	liance 1	NA = No	t Applica	ıble				
Section	Requir	ement											Code
1710	Progra	m Director			M	/leet req	uireme	nts and c	qualification	s			
1715	Site Coordinator				M	/leet req	uireme	nts and c	_l ualification	S			
1720	Lead Teachers Meet requirements and qualifications												
1730	Program assistants Meet requirements and qualifications												
1735	Volunt	teers			M	/leet req	uireme	nts and c	qualification	S			
16. Childr	ren's Red	cords											
	Enrollment Immunizations or application exemption				Health Persons Emergency Parent/ Medical history authorized to contact guardian provider or pick up child information written plan				or pro	Dental ovider or tten plan			
Section	on	2050	325	0-3300		2050		050	2050	2050	2050	2050	
Child Nu	mber												
Child	#1] [[
Child	#2] [
Child	#3						[
Child						<u> </u>	[<u> </u>
Child						<u> </u>	L						<u> </u>
Child	Child #6												
17. Reco		ia D .	Diag.,, a	l Niero C		liane - •	\1A	A A	hla				
Section	c C = Compliance D = Discussed N = Non Co n Requirement			опірнансе під – пот дррнсавіе								Code	
2050					Mosts requirements								Couc
2000					Meets requirements Must keep all required records for a minimum of 5 years and current							+	
1 - 1			records kept in licensed space.										
2025	<u> </u>				Children's records are maintained in a confidential manner							†	
2075					Completed staff files							1	
2125	Child a	ttendance	recordsSta	aff to					ept for each	child with re	equired signat	ture	
	child ratio records							1					

18 Summary Comments and Recommendations:	
19. Signatures:	
	T -
Compliance Agreement: Yes No	Date:
Licensee Signature:	Date:
Licensor Signature:	Date:
Health Specialist Signature:	Date: